

SYLVANIA

NEODYMIUM LAMPS



Neodymium



The ideal lighting solution for
Special incandescent lamps


Thanks to the special glass composition of their exterior bulb, Sylvania's Neodymium series lamps attain exceptional results in colour intensity and colour rendering. Neodymium particularly has the quality of being able to filter out the abundant yellow so that the spectral output - from which white light is composed - comes out better.

This gives a balanced clarity over the whole colour spectrum. For this reason Neodymium lamps are especially suited for jeweller's shops and the food sector, or for flower and fruit shops. In the home, Neodymium lamps are especially recommended for lighting plants, flower arrangements and paintings.

Through an ingenious combination of a clear or a frosted Neodymium exterior bulb, a Neodymium lamp is the perfect answer to the application you are seeking for. Thanks to its exceptional construction it attains a life span which is twice as long as that of a traditional lamp.

Neodymium lamps are available in different bulb shapes: standard, ball, globe, candle and reflector.

All lamps comply with the relevant requirements of standards IEC 64 and IEC 432.



SYLVANIA

CANDLE 35MM - NEODYMIUM

Code	Watt	Volt	Cap	Bulb	Diameter (mm)	Max. L (mm)	Avg Life (h)	Rated Lumens	Pack Qty
06352	40	230	E14	Frosted	35	97	2000	280	100



BALL 45MM - NEODYMIUM

Code	Watt	Volt	Cap	Bulb	Diameter (mm)	Max. L (mm)	Avg Life (h)	Rated Lumens	Pack Qty
05614	40	230	E14	Frosted	45	72.5	2000	280	100




REFLECTOR R50 - NEODYMIUM

Code	Watt	Volt	Cap	Bulb	Diameter (mm)	Max. L (mm)	Avg Life (h)	Rated Lumens	Pack Qty
06352	40	230	E14	Frosted	35	97	2000	-	100




REFLECTOR R63 - NEODYMIUM

Code	Watt	Volt	Cap	Bulb	Diameter (mm)	Max. L (mm)	Avg Life (h)	Rated Lumens	Pack Qty
16107	40	240	E27	R63	63	103	2000	-	100
16109	60	240	E27	R63	63	103	2000	-	100




REFLECTOR R80 - NEODYMIUM


Code	Watt	Volt	Cap	Bulb	Diameter (mm)	Max. L (mm)	Avg Life (h)	Rated Lumens	Pack Qty
15564	60	240	E27	R80	80	110	2000	-	100
15587	100	240	E27	R80	80	110	2000	-	100



GLS 60MM - NEODYMIUM

Code	Watt	Volt	Cap	Bulb	Diameter (mm)	Max. L (mm)	Avg Life (h)	Rated Lumens	Pack Qty
13315	40	230	E27	Frosted	60	104	2000	305	100
13316	60	230	E27	Frosted	60	104	2000	525	100
13318	75	230	E27	Frosted	60	104	2000	670	100
13319	100	230	E27	Frosted	60	104	2000	995	100





SYLVANIA

98/9 - NEOD - E

Data for guidance only. Sylvania reserves the right to change data without notice.
SYLVANIA LIGHTING INTERNATIONAL, 20 ROUTE DE PRÉ-BOIS, CH-1215 GENEVA 15, SWITZERLAND. TEL + 41 (0)22/717 08 11 FAX + 41 (0)22/798 37 68
SYLVANIA LIGHTING INTERNATIONAL Ltd, AVIS WAY, BN9 OED. TEL: + 44 1273 515811 FAX: + 44 1273 512688